

## Guide Formulation

### Personal Care

# Long-Lasting Hand Cream (HC-2)

This light, non-greasy formulation has a silky soft, non-tacky skin feel thanks to **SeraSense® GBA 81**. This gum blend contains high viscosity dimethicone combined with C13-15 Alkane, which is an alternative to cyclomethicone.

Raw Material/INCI Name	% w/w	Trade name/Supplier	Function
<b>Phase A</b>			
Water	To 100	-	Vehicle
Disodium EDTA	0.10	Disodium EDTA	Chelating Agent
Glycerin	5.00	Surfac G995V/Surfachem	Humectant
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.19	Vida-Care FD2020/Lambson	Thickener
<b>Phase B</b>			
Stearic Acid	4.00	Edenor ST1 MY BD/Cognis	Bodifying Fat
Cetyl Alcohol	1.00	Crodacol C90/Croda	Bodifying Fat
Glyceryl Stearate	1.00	Cutina GMS SE/Cognis	Emulsifier
Butyrospermum Parkii (Shea) Butter	1.00	Statfold Shea Butter Refined/Croda	Emollient
<b>Phase C</b>			
Triethanolamine	q.s.	TEA 99%/Various	pH Adjuster
<b>C13-15 Alkane (and) Dimethicone</b>	<b>2.00</b>	<b>SeraSense® GBA 81/KCC Beauty</b>	<b>Skin Feel</b>
Tocopherol	0.10	dl- $\alpha$ -Tocopherol/Adina (DSM)	Antioxidant
Parfum	0.05	CPL Aromas	Fragrance
Phenoxyethanol (and) Caprylyl Glycol (and) Chlorphenesin	0.60	Neopres COS/Adina	Preservative

### Typical Properties

Appearance:	Thick, white emulsion
Viscosity @ 25°C:	10,000+ cP (Brookfield Helipath, T bar C, 10 rpm)
pH @ 25°C:	6.0 - 7.0

**Method**

Add Phase A to the main vessel, sprinkling Vida-Care FD2020 slowly into a vortex and allowing to swell. May require homogenising. Heat to 70-75°C.

Heat Phase B in a separate vessel to 70-75°C.

Once up to temperature, add Phase B to A and homogenise until white and smooth.

Cool with stirring to below 40°C.

Add the TEA stepwise to achieve pH.

Add remaining ingredients, mixing well between additions.



Scan me to find out more about KCC Beauty online!

**Please note that the above formulation is only intended as a guide. It is not a commercial formulation and has not been tested as such. The formulation should be evaluated and modified for your own requirements before use. Also suggestions of uses should not be taken as inducements to infringe any particular patent.**