

Guide Formulation

Personal Care

Make Up Fixer (MJ_20)

An easy-to-use formulation to be spritzed over the face after make up. **SeraShine® EM 509** is an emulsion of MQ resin, which imparts a radiant film and durability.

Raw Material/INCI Name	% w/w	Trade name/Supplier	Function
Phase A			
Aqua (Water)	To 100	-	Vehicle
Disodium EDTA	0.02	Various	Chelating Agent
Dipotassium Glycyrrhizate	0.02	Various	Anti-inflammatory
Portulaca Oleracea Extract	3.00	Various	Skin Conditioning
Glycerin	2.00	Various	Humectant
Butylene Glycol	3.00	Various	Humectant
1,2-Hexanediol	2.00	Various	Preservative
Disodium EDTA	0.05	Various	Chelating Agent
Phase B			
PEG-60 Hydrogenated Castor Oil	0.05	HCO-60/Nikko	Solubiliser
Fragrance	q.s.	Various	Fragrance
Phase C			
Dimethicone (and) Trimethylsiloxysilicate (and) Poloxamer 188 (and) Poloxamer 338 (and) 1,2- Hexanediol	3.00	SeraShine® EM 509/KCC Beauty	Film Former

Typical Properties

Appearance:	Milky white emulsion
Viscosity @ 25°C:	n/a
pH @ 25°C:	5.0 - 7.0

Method

Mix the ingredients of Phase A until homogenous.

In a separate vessel, mix the ingredients of Phase B. Add the two phases together and mix.

Add Phase C



Scan me to find out more about KCC Beauty online!

Please note that the above formulation is only intended as a guide. It is not a commercial formulation and has not been tested as such. The formulation should be evaluated and modified for your own requirements before use. Also suggestions of uses should not be taken as inducements to infringe any particular patent.