

Guide Formulation

Personal Care

Smoothing Conditioner (RC-24)

Say hello to soft and manageable hair thanks to **SeraSense® GBA 82**. This cyclopentasiloxane-free gum blend is non-volatile, providing a long-lasting conditioning effect and improved dry combing.

Raw Material/INCI Name	% w/w	Trade name/Supplier	Function
Water	To 100	-	Vehicle
Disodium EDTA	0.20	Edeta BD/BASF	Chelating Agent
Glycerin	1.50	Surfac G995V/Surfachem	Humectant
Hydroxyethylcellulose	1.50	Natrosol 250 HHR-PC/IMCD (Ashland)	Thickener
Citric Acid	0.33	Surfac Citric Acid Monohydrate BP/Surfachem	pH Adjuster
Cetyl Alcohol	1.00	Crodacol C90/Croda	Bodifying Fat
Stearyl Alcohol	1.00	Crodacol S95/Croda	Bodifying Fat
Behentrimonium Chloride (and) Isopropyl Alcohol	0.25	Incroquat Behenyl TMC-85/Croda	Conditioning Fat
C13-15 Alkane (and) Dimethiconol	2.00	SeraSense® GBA 82/KCC Beauty	Conditioning Agent
Parfum (Fragrance)	0.50	Fresh Locks/AFF Ltd	Fragrance
Phenoxyethanol (and) Benzyl Alcohol (and) Potassium Sorbate (and) Aqua (and) Tocopherol	1.00	Euxyl K700/Schülke	Preservative

Typical Properties

Appearance:	White, viscous emulsion
Viscosity @ 25°C:	8,000 - 15,000cPs (Brookfield Helipath, T Bar C, 10rpm)
pH @ 25°C:	3.0 - 4.0

Method

Add the water to the vessel and begin to stir.

Sprinkle in EDTA and allow to dissolve.

Premix the glycerin and hydroxyethylcellulose, add to the blend and stir until thickened.

Heat to 80 - 85°C.

Add the fats and stir until melted. Homogenise at 3000rpm until smooth and white.

Cool to below 40°C with stirring and add the remaining ingredients in order.



Scan me to find out more about KCC Beauty online!

Please note that the above formulation is only intended as a guide. It is not a commercial formulation and has not been tested as such. The formulation should be evaluated and modified for your own requirements before use. Also suggestions of uses should not be taken as inducements to infringe any particular patent.